

ISUZU NOVO ULTRA



EURO



Anadolu Isuzu the one and only "Isuzu Manufacturing Management (IMM)" certified Isuzu factory in Europe.

ANADOLU ISUZU

ISUZU NOVO ULTRA



Anadolu Isuzu's well-known medium-size coach series is simply glamorous with its new exterior view. Both interior and exterior of Novo and Novo Ultra models have been redesigned following a comprehensive customer research programme. Isuzu engine for Novo series produces 190 PS at 2600 RPM. Novo series buses offer seat and luggage capacity up to 29 passengers.




ANADOLU ISUZU

ISUZU NOVO ULTRA

TECHNICAL SPECIFICATIONS

Dimensions (mm)	
Maximum Length	7305
Maximum Width	2282
Maximum Height	3350
Wheelbase	3385
Front Overhang	1650
Rear Overhang	2270
Weights (kg)	
Gross Vehicle Weight	9800
Engine	
Model	4HK1E5C (Euro 5-EEV)
Type	Commonrail Turbo Diesel Intercooler
Cylinders	4
Displacement (cc)	5193
Maximum Power (PS/rpm)	190 / 2600
Maximum Torque (Nm/rpm (Kgm/rpm))	(513 /1600-2600) (52,3 /1600-2600)
Transmission	
Model	ISUZU MZZ-6
Number of Gears, Type	6 Forward, 1 Reverse, Overdrive
Steering System	Hydraulic, Tilt and Telescopic
Tyres	215/75 R17,5
Suspensions	
Front	Parabolic Steel Alloy Leaf Springs
Rear	Air Suspension
Brake System	
Front / Rear	Disc / Disc
System	Full Air Brake System with ABS, Dual Circuit, Auto-adjusted
Parking Brake	Air Actuated, Operating on Rear Axle
Auxiliary Brake	Vacuum Assisted Exhaust Brake (S), Retarder (Opt)
Fuel Tank	
Fuel Tank Capacity (lt)	150
Luggage Compartment	
Luggage Capacity (m ³)	4
Electrical System	
Battery	24V (2x12V)-105 Ah
Passenger Capacity	
	From (23 + c + d) To (29 + d)



Novo series buses are offered in two different versions, one at a "Standard" and the other at "Ultra" comfort level. The interior design, rear suspension, brake system and the comfort equipments of these two versions are designed differently, reflecting the requirements of different areas of use. Isuzu's world-class powertrain, top quality engineering and state-of-art exterior view, on the other hand, they are completely same in both Novo and Novo Ultra.

ISUZU NOVO ULTRA

EQUIPMENTS



Heating and Ventilation

Pre-heater	S
Air-blowing Type Heater (Front)	S

Air Conditioner

A/C Dashboard Unit For Driver	S
-------------------------------	---

Safety & Driving Comfort

Cruise Control	Opt
Speed Limiter	S
Tachograph	Digital Tachograph (S) / MTCO (Opt)
Retarder	Opt
ABS	S
ASR	S
Parking Sensor	Opt
Immobiliser	S
Fire Sensor And Warning System In Engine Compartment	Opt
Roof Emergency Exit & Ventilation Hatch	S

EXTERIOR

Metallic Colour	Opt
-----------------	-----

Doors

Front Door	Single Wing, Pneumatic, Outward Swing (Auto-locking System Over 5 km/h Speed)
Rear Door	Single Wing, Pneumatic, Outward Swing (Auto-locking System Over 5 km/h Speed)
Remote Control	S (Both Doors)

Passenger Window

Single Glazing	Opt
Double Glazing	S
Daytime Running Lamp, DRL	S
Reverse Gear Warning Beeper	S

INTERIOR

Driver Seat

Driver's Seat	Ergonomic, Air Operated, Adjustable
Driver's Window	Automatic
Front Door Window	Anti-mist Heater
Windscreen Blind	S (Electrically Controlled Optional)

Passenger Seats

Seat Upholstery	Fabric (S) / Leather (Opt)
Side Sliding	S
Footrests	Opt
Armrests	Aisle Side (S) / Window Side (Opt)
Seat Back Magazine Net	S
Safety Belts	2 Points (S) / 3 Points (Opt)

Passenger Compartment

Ceiling Upholstery	Formica / Fabric (S), FRP (Opt)
Side Wall Upholstery	Mocket
Floor Covering	Carpet on Vinyl Floor
Interior Lighting	Continuous on Ceiling
Reading Lamps For Passenger Seats	S

Audio & Visual

Radio & CD Player	S
Radio & DVD Player (With MP3)	Opt
Speaker	S
Headphone Outputs For Passenger Seats	Opt
Microphone & Amplifier	S
Monitor / LCD	Opt
TV tuner	Opt
Refrigerator (Front or Rear)	Opt
Water Boiler (Tea/Coffee Set)	Opt

S: Standard Opt: Optional

EURO



ANADOLU ISUZU